TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1982

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1982	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Haddam	6,460	-	-	10	41	71	-	1	-	-	-	46	1	50	44	11.0	7.1	14.6
Hampton	1,360	-	-	3	9	24	1	-	-	-	-	6	-	16	11	17.6	4.4	19.9
Killingly	14,690	-	-	115	168	221	4	38	1	1	-	133	1	143	166	15.0	9.1	21.0
Killingworth	4,040	1	-	6	30	51	-	1	-	-	-	23	-	16	18	12.6	5.7	8.4
Lebanon	4,860	1	-	8	45	75	-	7	-	1	-	29	-	33	38	15.4	6.0	14.6
Ledyard	13,990	-	-	12	83	225	8	19	1	1	-	56	1	99	111	16.1	4.0	15.0
Lisbon	3,350	-	-	3	17	35	-	2	-	-	-	20	-	26	22	10.4	6.0	14.3
Lyme	1,840		NO	REPORT		19	-	-	-	-	-	21	-	1	5	10.3	11.4	3.3
Mansfield	20,780	1	-	21	119	122	15	14	2	2	-	78	3	81	85	5.9	3.8	8.0
Middlefield	3,780		NO	REPORT		36	3	-	-	-	-	21	-	21	19	9.5	5.6	18.5
Middletown	38,920	966	7	677	311	524	91	79	38	6	1	337	20	324	315	13.5	8.7	16.4
Montville	16,590	-	-	11	107	254	5	14	-	2	-	92	2	137	137	15.3	5.5	16.5
New London	28,820	1,352	5	651	495	479	131	152	70	7	1	300	24	346	326	16.6	10.4	23.3
North Stonington	4,230	2	-	4	49	23	1	2	-	-	-	20	-	32	34	5.4	4.7	15.4
Norwich	38,330	1,133	7	737	444	655	54	141	28	4	-	423	15	400	420	17.1	11.0	21.4
Old Lyme	6,270	2	-	12	85	80	2	10	1	-	-	50	-	43	40	12.8	8.0	13.2
Old Saybrook	9,380	-	-	78	104	89	4	13	2	2	-	97	1	59	66	9.5	10.3	13.3
Plainfield	12,930	1	-	45	100	200	2	35	-	1	-	116	-	101	109	15.5	9.0	16.2
Pomfret	2,750	-	-	10	52	41	-	4	-	-	-	34	-	27	17	14.9	12.4	16.0
Portland	8,390	-	-	50	126	83	4	9	2	-	-	81	3	56	70	9.7	9.7	15.0
Preston	4,640	-	-	17	40	15	-	-	-	-	-	30	-	22	26	3.2	6.5	10.3
Putnam	8,750	709	4	264	78	120	3	23	1	4	-	97	1	68	70	13.7	11.1	15.8
Salem	2,390	-	-	1	9	22	-	3	-	-	-	6	1	8	12	9.2	2.5	8.4
Scotland	1,090	-	-	-	15	5	-	-	-	-	-	6	-	10	9	4.6	5.5	17.4
Sprague	3,030	-	-	5	31	65	-	8	-	-	-	27	-	32	35	21.5	8.9	22.1
Sterling	1,790	-	-	3	15	25	-	4	-	-	-	10	-	13	10	14.0	5.6	12.8
Stonington	16,740	2	-	38	194	234	3	20	-	-	-	144	-	94	95	14.0	8.6	11.3
Thompson	8,240	-	-	16	87	121	3	30	2	1	-	61	-	42	59	14.7	7.4	12.3
Union	550	-	-	1	5	3	-	2	-	-	-	9	-	4	3	5.5	16.4	12.7

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1982

	Population Estimated as of July 1, 1982	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
						Live Births				Fetal Deaths		Total Deaths		Marriages				
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Voluntown	1,650	-	-	3	29	31	1	2	1	-	-	21	-	22	27	18.8	12.7	29.7
Waterford	17,910	3	-	123	90	149	7	11	1	-	-	189	4	106	133	8.3	10.6	13.3
Westbrook	5,240	-	-	12	47	69	2	6	-	1	-	58	-	44	55	13.2	11.1	18.9
Willington	4,770	-	-	10	23	66	2	6	-	-	-	31	-	46	42	13.0	6.5	18.4
Windham	21,060	455	1	293	188	313	11	75	7	-	-	168	-	195	206	14.9	8.0	19.0
Woodstock	5,170	1	-	10	31	62	-	4	-	-	-	41	1	31	27	12.0	7.9	11.2
HSA IV, North Central	899,120	12,478	93	7,574	7,619	11,607	1,746	2,586	998	80	18	7,470	403	6,761	7,159	12.9	8.3	15.5
Andover	2,220	1	-	2	17	35	-	3	-	-	-	18	-	22	26	15.8	8.1	21.6
Avon	11,500	-	-	66	101	109	3	6	1	-	-	80	-	77	73	9.5	7.0	13.0
Berlin	15,290	1	-	45	111	153	1	7	-	2	-	125	-	80	102	10.0	8.2	11.9
Bloomfield	18,820	-	-	80	140	190	72	41	31	1	-	147	16	98	118	10.1	7.8	11.5
Bolton	4,050	-	-	1	31	45	2	4	-	-	-	17	-	38	27	11.1	4.2	16.0
Bristol	57,750	669	4	411	539	725	38	102	19	2	-	434	9	520	548	12.6	7.5	18.5
Burlington	5,840	-	-	10	51	104	3	5	-	-	-	23	-	34	39	17.8	3.9	12.5
Canton	7,730	-	-	10	38	115	1	9	-	-	-	53	-	57	58	14.9	6.9	14.9
East Granby	4,150	-	-	6	16	55	2	3	-	1	-	18	-	27	22	13.3	4.3	11.8
East Hartford	52,280	-	-	147	393	641	77	87	19	3	-	454	10	507	532	12.3	8.7	19.9
East Windsor	8,950	-	-	28	126	132	9	17	4	-	-	93	1	89	83	14.7	10.4	19.2
Ellington	9,860	-	-	11	72	114	1	9	-	-	-	66	-	89	80	11.6	6.7	17.1
Enfield	42,580	1	-	121	421	530	9	76	4	1	-	281	2	297	351	12.4	6.6	15.2
Farmington	16,730	634	10	336	159	151	4	13	1	1	-	125	-	115	135	9.0	7.5	14.9
Glastonbury	24,500	1	-	48	233	228	6	19	2	4	1	140	2	147	170	9.3	5.7	12.9
Granby	8,110	-	-	16	45	105	2	4	-	-	-	67	1	54	48	12.9	8.3	12.6
Hartford	135,640	7,298	52	2,945	1,200	2,748	1,223	1,587	836	28	14	1,281	296	1,085	1,057	20.3	9.4	15.8
Hartland	1,450	-	-	1	11	22	-	-	-	-	-	5	1	7	9	15.2	3.4	11.0
Hebron	5,650	-	-	4	48	117	2	8	-	-	-	23	-	54	48	20.7	4.1	18.1
Manchester	49,640	1,307	10	596	513	602	38	58	8	3	-	448	4	439	444	12.1	9.0	17.8

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1982

	Population estimated as of July 1, 1982	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA IV,North Central Cont'd.																		
Marlborough	4,840	-	-	2	25	70	-	1	-	-	-	16	-	30	29	14.5	3.3	12.2
New Britain	73,390	1,983	11	916	574	1,060	115	239	51	4	2	735	36	615	614	14.4	10.0	16.7
Newington	29,080	-	-	258	246	258	10	19	2	1	-	224	2	207	246	8.9	7.7	15.6
Plainville	16,460	-	-	59	140	199	8	11	1	3	-	147	4	136	141	12.1	8.9	16.8
Plymouth	10,800	-	-	22	75	126	1	8	-	1	-	86	-	88	97	11.7	8.0	17.1
Rocky Hill	14,670	-	-	161	129	168	12	11	1	-	-	134	1	147	140	11.5	9.1	19.6
Simsbury	21,420	-	-	45	170	202	5	13	-	-	-	110	1	93	117	9.4	5.1	9.8
Somers	8,580	-	-	6	80	92	1	5	-	-	-	41	-	41	48	10.7	4.8	10.4
Southington	36,990	1	-	152	317	455	6	29	1	4	-	222	-	246	262	12.4	6.1	13.8
South Windsor	17,770	-	-	30	147	203	8	16	1	1	-	83	-	124	130	11.4	4.7	14.3
Stafford	9,490	1	-	127	75	145	1	11	1	2	-	81	-	80	87	15.3	8.5	17.6
Suffield	9,500	1	-	14	96	117	3	10	1	1	-	72	1	56	69	12.3	7.6	13.2
Tolland	9,880	-	-	4	69	137	8	8	-	3	-	36	-	39	59	13.9	3.6	9.9
Vernon	28,780	579	6	288	231	417	8	67	1	7	-	226	-	270	261	14.5	7.9	18.5
West Hartford	61,160	1	-	315	499	446	25	27	4	7	1	767	4	343	407	7.3	12.5	12.3
Wethersfield	25,880	-	-	79	167	171	4	14	-	-	-	258	2	138	166	6.6	10.0	11.7
Windsor	25,490	-	-	165	225	287	36	27	9	-	-	229	10	180	209	11.3	9.0	15.3
Windsor Locks	12,200	-	-	47	89	133	2	12	-	-	-	105	-	92	107	10.9	8.6	16.3
HSA V, Northwestern	496,820	5,734	42	4,193	4,103	6,237	453	890	222	46	11	4,204	107	3,493	3,61[illegible]	12.6	8.5	14.3
Barkhamsted	2,970	-	-	7	28	32	1	1	-	-	-	18	-	19	1[illegible]	10.8	6.1	12.1
Beacon Falls	4,020	-	-	3	21	49	-	8	-	1	-	28	-	29	2[illegible]	12.2	7.0	13.9
Bethel	16,160	-	-	13	91	265	4	10	-	2	-	103	1	110	116	16.4	6.4	14.0
Bethlehem	2,650	-	-	1	28	41	-	2	-	2	-	18	-	22	25	15.5	6.8	17.7
Bridgewater	1,570	-	-	3	20	6	-	-	-	-	-	11	-	14	17	3.8	7.0	19.7
Brookfield	13,150	1	-	12	98	132	2	9	-	3	-	61	-	60	89	10.0	4.6	11.3
Canaan	1,010	1	-	5	8	31	1	4	1	-	-	23	1	15	16	30.7	22.8	30.7
Cheshire	22,110	1	-	92	142	219	10	9	-	-	-	175	2	114	132	9.9	7.9	11.1
Colebrook	1,230	-	-	4	7	17	-	-	-	-	-	9	-	10	7	13.8	7.3	13.8

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1982

	Population estimated as of July 1, 1982	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V, Northwestern Cont'd.																		
Cornwall	1,310	-	-	3	25	19	-	2	-	-	-	12	-	11	9	14.5	9.2	15.3
Danbury	61,280	1,805	15	824	522	902	115	126	45	8	1	474	19	482	491	14.7	7.7	15.9
Goshen	1,760	-	-	2	22	23	1	-	-	-	-	13	-	13	11	13.1	7.4	13.6
Harwinton	4,970	-	-	3	32	55	-	2	-	-	-	27	-	24	29	11.1	5.4	10.7
Kent	2,530	-	-	3	32	21	-	-	-	-	-	25	-	14	23	8.3	9.9	14.6
Litchfield	7,770	-	-	22	94	84	1	8	-	-	-	76	-	54	62	10.8	9.8	14.9
Middlebury	6,050	-	-	26	51	53	-	6	-	-	-	45	-	43	33	8.8	7.4	12.6
Morris	1,920	-	-	3	8	12	-	-	-	1	-	19	-	6	12	6.3	9.9	9.4
Naugatuck	26,710	1	-	57	201	368	10	34	-	3	1	214	-	233	226	13.8	8.0	17.2
New Fairfield	11,550	2	-	12	58	139	4	10	-	1	-	73	1	56	57	12.0	6.3	9.8
New Hartford	4,970	-	-	3	49	64	1	6	-	2	-	32	-	34	44	12.9	6.4	15.7
New Milford	20,000	362	1	228	148	302	6	31	-	1	1	128	2	127	140	15.1	6.4	13.4
Newtown	19,500	-	1	74	145	210	3	15	-	1	-	120	-	120	119	10.8	6.2	12.3
Norfolk	2,190	-	-	11	28	38	-	1	-	-	-	18	-	16	19	17.4	8.2	16.0
North Canaan	3,230	-	-	46	23	15	-	1	-	-	-	26	1	15	15	4.6	8.0	9.3
Prospect	6,800	-	-	38	50	56	-	3	-	-	-	46	1	44	41	8.2	6.8	12.5
Redding	7,330	2	-	13	91	81	1	7	-	-	-	52	1	42	50	11.1	7.1	12.6
Ridgefield	20,320	1	-	24	229	186	7	7	-	-	-	113	-	114	120	9.2	5.6	11.5
Roxbury	1,510	-	-	2	8	20	-	2	-	-	-	13	-	7	7	13.2	8.6	9.3
Salisbury	3,930	-	-	27	47	42	2	7	-	-	-	46	1	28	27	10.7	11.7	14.0
Sharon	2,610	356	1	173	35	28	1	5	1	1	-	26	-	16	22	10.7	10.0	14.6
Sherman	2,330	1	-	6	13	33	1	2	-	1	-	18	-	13	11	14.2	7.7	10.3
Southbury	14,180	2	-	87	100	117	2	3	-	-	-	177	-	55	59	8.3	12.5	8.0
Thomaston	6,290	-	-	20	64	74	2	6	-	1	-	59	-	61	54	11.8	9.4	18.3
Torrington	31,430	768	5	421	258	389	18	48	6	3	-	314	2	260	272	12.4	10.0	16.9
Warren	1,050	-	-	2	19	11	-	2	-	-	-	11	-	10	5	10.5	10.5	14.3
Washington	3,700	-	-	10	46	48	-	4	-	-	-	37	-	21	27	13.0	10.0	13.0
Waterbury	103,830	2,431	19	1,687	782	1,518	252	450	168	15	8	1,142	74	800	788	14.6	11.0	15.3
Watertown	19,830	-	-	68	169	209	2	23	1	-	-	163	-	132	122	10.5	8.2	12.8

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1982

	Population estimated as of July 1, 1982	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V, Northwestern Cont'd.																		
Winchester	10,830	-	-	114	132	131	3	22	-	-	-	99	-	98	109	12.1	9.1	19.1
Wolcott	13,120	-	-	24	119	120	3	11	-	-	-	85	1	85	102	9.1	6.5	14.3
Woodbury	7,120	-	-	20	60	77	-	3	-	-	-	55	-	66	63	10.8	7.7	18.1
OUT-OF-STATE		1,117		965		910				9	-	1,156	48	3,516	2,309			

TABLE 3: CONNECTICUT BIRTHS, 1982

	ALL RACES											NONWHITE									
		AGE OF MOTHER											AGE OF MOTHER								
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UNKNOWN	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UNKNOWN
TOTAL	40,632	74	4,278	10,999	13,921	8,700	2,372	263	15	1	9	5,748	42	1,290	1,857	1,471	806	244	32	2	1	3
MALE	20,632	42	2,159	5,537	7,120	4,381	1,238	142	10	1	2	2,875	25	629	926	746	412	121	17	1	1	1
FEMALE	19,999	32	2,119	5,461	6,801	4,319	1,134	121	5	-	7	2,872	17	665	930	725	394	123	15	1	-	2
UNKNOWN	1	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
PLACE OF DELIVERY																						
HOSPITAL	40,495	74	4,266	10,965	13,872	8,673	2,361	261	15	1	7	5,725	42	1,286	1,851	1,463	803	244	31	2	1	2
OTHER	132	-	12	30	48	27	11	2	-	-	2	23	-	4	6	8	3	-	1	-	-	1
UNKNOWN	5	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MARITAL STATUS																						
MOTHER MARRIED	32,527	6	1,544	8,038	12,504	8,010	2,176	231	13	1	4	2,506	2	152	663	919	562	181	24	1	1	1
MOTHER UNMARRIED	8,105	68	2,734	2,961	1,417	690	196	32	2	-	5	3,242	40	1,138	1,194	552	244	63	8	1	-	2
PERIOD OF GESTATION																						
UNDER 20 WEEKS	61	-	11	31	11	1	-	-	-	-	-	41	-	11	21	1	-	-	-	-	-	-
20-27 WEEKS	192	2	29	75	43	32	10	1	-	-	-	59	2	14	26	7	9	1	-	-	-	-
28-31 WEEKS	245	2	38	80	70	46	8	1	-	-	-	72	1	18	24	20	6	3	-	-	-	-
32-35 WEEKS	726	3	127	188	230	130	43	5	-	-	-	183	2	54	52	43	20	11	1	-	-	-
36 WEEKS	762	4	102	204	253	152	45	4	-	-	-	152	1	45	50	31	20	5	-	-	-	-
37-39 WEEKS	8,510	11	832	2,123	2,979	1,941	555	65	3	-	1	1,329	4	294	405	354	207	57	8	-	-	-
40 WEEKS OR OVER	23,969	31	2,495	6,611	8,236	5,107	1,333	143	9	1	3	2,846	22	623	929	734	397	124	15	1	1	-
NOT STATED	6,222	21	654	1,717	2,109	1,291	378	44	3	-	5	1,103	10	241	369	281	147	43	8	1	-	3
WEIGHT AT BIRTH																						
1000 GRAMS OR LESS	284	2	45	100	82	38	16	-	1	-	-	89	2	20	37	20	8	2	-	-	-	-
1001-1500 GRAMS	221	1	39	69	53	45	11	3	-	-	-	72	1	18	26	17	8	2	-	-	-	-
1501-2000 GRAMS	494	2	97	134	127	96	34	4	-	-	-	162	1	51	52	30	19	8	1	-	-	-
2001-2500 GRAMS	1,732	4	264	516	536	315	85	12	-	-	-	405	2	121	128	82	55	15	2	-	-	-
2501-3000 GRAMS	6,272	18	900	1,827	1,994	1,193	296	42	1	-	1	1,376	10	355	457	335	163	47	7	1	-	1
3001-3500 GRAMS	15,288	28	1,743	4,251	5,246	3,112	811	82	9	1	5	2,203	17	490	742	557	295	85	15	1	1	-
3501-4000 GRAMS	11,951	17	937	3,098	4,318	2,764	734	79	2	-	2	1,163	8	200	360	328	202	58	6	-	-	1
4001-4500 GRAMS	3,532	2	211	853	1,274	879	283	30	2	-	-	233	1	30	46	84	48	23	1	-	-	-
4501 GRAMS AND OVER	665	-	30	134	236	187	70	8	-	-	-	40	-	3	9	16	8	4	-	-	-	-
UNKNOWN	193	-	12	17	55	71	34	3	-	-	1	51	-	2	-	2	-	-	-	-	-	1
PLURAL BIRTHS																						
SINGLE	39,764	74	4,229	10,802	13,601	8,460	2,312	261	15	1	9	5,630	42	1,273	1,815	1,438	788	236	32	2	1	3
TWINS	850	-	49	194	314	234	57	2	-	-	-	118	-	17	42	33	18	8	-	-	-	-
TRIPLETS	18	-	-	3	6	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO BIRTHS REPORTED

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CONNECTICUT																
ALL RACES	40,632	2,731	193	74	221	478	787	1,222	1,570	10,999	13,921	8,700	2,372	263	16	9
NONWHITE	5,748	728	5	42	98	194	259	349	390	1,857	1,471	806	244	32	3	3
HSA 1 SOUTHWESTERN																
ALL RACES	7,725	569	119	19	48	116	163	263	306	1,940	2,420	1,772	600	72	3	3
NONWHITE	1,687	214	1	16	26	68	62	117	116	543	402	246	76	12	2	1
BRIDGEPORT																
ALL RACES	2,719	263	4	12	33	66	105	154	187	988	736	338	83	13	1	3
NONWHITE	838	117	1	11	14	37	40	67	70	303	174	94	20	6	1	1
DARIEN																
ALL RACES	159	9	11	-	-	1	1	1	2	15	35	68	35	1	-	-
NONWHITE	4	1	-	-	-	-	-	-	-	-	3	-	1	-	-	-
EASTON																
ALL RACES	35	1	1	-	-	1	-	-	-	3	12	14	3	2	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
FAIRFIELD																
ALL RACES	476	26	5	-	-	1	5	6	7	68	185	149	49	6	-	-
NONWHITE	23	2	-	-	-	-	1	2	1	5	6	6	2	-	-	-
GREENWICH																
ALL RACES	487	29	25	-	-	1	5	5	2	58	151	179	75	10	1	-
NONWHITE	27	2	-	-	-	-	1	-	1	2	10	9	3	-	1	-
MONROE																
ALL RACES	192	2	-	-	-	2	2	1	9	30	75	60	12	1	-	-
NONWHITE	5	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-
NEW CANAAN																
ALL RACES	111	7	6	-	-	-	1	1	-	11	33	42	23	-	-	-
NONWHITE	6	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-
NORWALK																
ALL RACES	1,096	82	2	1	5	21	19	34	28	286	364	243	81	13	1	-
NONWHITE	276	40	-	-	4	13	10	16	13	89	69	42	17	3	-	-
STAMFORD																
ALL RACES	1,410	91	41	5	9	17	20	37	47	328	487	330	114	16	-	-
NONWHITE	434	38	-	4	8	15	10	26	28	129	119	65	28	2	-	-
STRATFORD																
ALL RACES	486	32	4	1	1	5	3	17	13	97	198	103	46	2	-	-
NONWHITE	51	10	-	1	-	3	-	5	2	12	15	10	2	1	-	-
TRUMBULL																
ALL RACES	236	13	-	-	-	-	-	4	6	30	75	92	27	2	-	-
NONWHITE	13	1	-	-	-	-	-	-	1	1	2	7	2	-	-	-
WESTON																
ALL RACES	63	5	5	-	-	-	-	-	-	3	12	35	10	3	-	-
NONWHITE	3	2	-	-	-	-	-	-	-	-	1	2	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
WESTPORT																
ALL RACES	141	5	10	-	-	-	1	2	2	15	33	67	20	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WILTON																
ALL RACES	114	4	5	-	-	1	1	1	3	8	24	52	22	2	-	-
NONWHITE	5	1	-	-	-	-	-	-	-	-	1	3	1	-	-	-
HSA 2 SOUTH CENTRAL																
ALL RACES	8,024	564	13	14	54	90	162	224	313	2,063	2,844	1,765	449	45	-	1
NONWHITE	1,378	178	2	10	36	50	66	84	106	442	344	175	62	3	-	-
ANSONIA																
ALL RACES	282	18	-	-	2	2	5	13	14	94	101	42	7	2	-	-
NONWHITE	28	5	-	-	-	2	1	4	4	13	4	-	-	-	-	-
BETHANY																
ALL RACES	55	1	-	-	-	-	-	-	1	8	16	22	6	2	-	-
NONWHITE	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
BRANFORD																
ALL RACES	303	19	-	-	-	1	2	3	2	61	125	81	25	3	-	-
NONWHITE	6	2	-	-	-	-	-	-	-	3	-	1	2	-	-	-
DERBY																
ALL RACES	144	6	-	-	1	-	4	7	4	39	50	31	6	2	-	-
NONWHITE	5	1	-	-	-	-	1	-	-	2	2	-	-	-	-	-
EAST HAVEN																
ALL RACES	290	22	-	-	-	4	1	3	13	78	114	62	13	2	-	-
NONWHITE	6	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-
GUILFORD																
ALL RACES	221	7	-	-	-	-	2	1	4	25	74	84	30	1	-	-
NONWHITE	7	-	-	-	-	-	-	-	-	2	2	2	1	-	-	-
HAMDEN																
ALL RACES	503	33	2	-	4	3	2	6	8	89	208	138	40	5	-	-
NONWHITE	47	8	-	-	3	2	2	2	1	7	11	13	6	-	-	-
MADISON																
ALL RACES	132	2	-	-	-	-	1	2	1	13	36	59	19	1	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
MERIDEN																
ALL RACES	878	56	1	-	2	9	29	24	46	268	322	152	23	3	-	-
NONWHITE	50	4	-	-	1	3	7	-	3	16	12	6	2	-	-	-
MILFORD																
ALL RACES	644	29	2	-	1	3	13	10	16	150	260	150	37	4	-	-
NONWHITE	15	-	-	-	-	-	1	-	-	5	3	4	2	-	-	-
NEW HAVEN																
ALL RACES	2,210	238	4	12	40	57	73	112	144	710	613	346	92	11	-	-
NONWHITE	1,057	143	2	9	32	40	48	74	91	356	252	115	37	3	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
NORTH BRANFORD																
ALL RACES	145	5	-	-	-	-	1	1	2	18	71	35	16	1	-	-
NONWHITE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
NORTH HAVEN																
ALL RACES	195	9	1	-	-	-	1	1	5	30	72	69	16	1	-	-
NONWHITE	8	2	-	-	-	-	-	-	-	-	4	3	1	-	-	-
ORANGE																
ALL RACES	84	7	-	-	1	-	1	1	3	10	24	30	13	-	-	1
NONWHITE	4	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
OXFORD																
ALL RACES	87	2	-	-	-	-	-	-	3	11	36	31	6	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEYMOUR																
ALL RACES	181	11	-	-	-	1	1	6	1	50	74	43	5	-	-	-
NONWHITE	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
SHELTON																
ALL RACES	390	16	2	-	-	2	3	4	6	82	147	105	37	4	-	-
NONWHITE	13	1	-	-	-	-	-	-	-	1	5	4	3	-	-	-
WALLINGFORD																
ALL RACES	455	19	-	1	2	1	8	10	10	101	180	120	22	-	-	-
NONWHITE	10	1	-	-	-	-	-	-	-	2	5	3	-	-	-	-
WEST HAVEN																
ALL RACES	772	61	1	1	1	7	5	20	30	216	303	147	30	2	-	-
NONWHITE	112	10	-	1	-	3	5	3	7	31	39	18	5	-	-	-
WOODBRIDGE																
ALL RACES	53	3	-	-	-	-	-	-	-	10	18	18	6	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
HSA 3 EASTERN																
ALL RACES	7,039	410	8	12	24	63	118	212	298	2,286	2,346	1,307	335	35	3	-
NONWHITE	484	40	-	4	1	10	19	20	21	181	137	73	17	1	-	-
ASHFORD																
ALL RACES	35	2	-	-	-	-	-	-	1	7	14	11	2	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
BOZRAH																
ALL RACES	19	-	-	-	-	-	-	1	1	6	5	5	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN																
ALL RACES	67	-	-	-	-	-	2	1	4	23	20	12	4	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTERBURY																
ALL RACES	49	3	-	-	-	1	-	1	1	16	17	8	4	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
CHAPLIN																
ALL RACES	26	1	-	-	-	-	-	-	2	4	11	7	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER																
ALL RACES	51	1	-	-	-	-	2	2	-	16	13	15	3	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
CLINTON																
ALL RACES	192	8	-	-	1	1	1	3	3	41	80	49	11	2	-	-
NONWHITE	5	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-
COLCHESTER																
ALL RACES	160	3	-	-	1	1	2	2	2	46	63	35	7	1	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-
COLUMBIA																
ALL RACES	43	2	1	-	-	-	-	-	1	8	16	15	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COVENTRY																
ALL RACES	142	8	-	-	-	-	3	1	2	28	62	37	9	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CROMWELL																
ALL RACES	163	8	2	-	-	1	1	3	4	28	71	47	8	-	-	-
NONWHITE	8	-	-	-	-	-	-	-	-	2	3	2	1	-	-	-
DEEP RIVER																
ALL RACES	47	2	-	-	-	-	-	2	1	13	18	12	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DURHAM																
ALL RACES	49	4	-	-	-	-	-	-	1	9	22	14	2	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTFORD																
ALL RACES	13	-	-	-	-	-	-	1	-	4	6	-	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM																
ALL RACES	81	4	1	-	-	-	1	5	4	29	22	15	5	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HAMPTON																
ALL RACES	137	8	1	1	-	2	2	4	2	26	48	43	9	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
EAST LYME																
ALL RACES	166	8	-	-	-	3	-	1	7	40	69	33	12	1	-	-
NONWHITE	5	1	-	-	-	-	-	-	1	1	2	1	-	-	-	-
ESSEX																
ALL RACES	45	3	2	-	1	-	-	-	1	11	13	11	8	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
FRANKLIN																
ALL RACES	13	1	-	-	-	-	-	-	-	4	7	2	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD																
ALL RACES	136	8	-	-	-	1	2	8	4	50	48	19	4	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
GROTON																
ALL RACES	798	41	-	1	3	3	15	11	25	341	265	109	23	1	1	-
NONWHITE	97	4	-	-	1	-	1	3	4	31	34	17	6	-	-	-
HADDAM																
ALL RACES	71	1	-	-	1	1	-	-	1	15	22	22	7	2	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMPTON																
ALL RACES	24	-	-	-	-	-	-	-	1	5	7	9	2	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
KILLINGLY																
ALL RACES	221	14	-	-	-	3	5	12	16	101	54	25	5	-	-	-
NONWHITE	4	1	-	-	-	1	-	-	-	2	-	1	-	-	-	-
KILLINGWORTH																
ALL RACES	51	2	-	-	-	-	-	-	1	8	14	19	8	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON																
ALL RACES	75	7	-	-	-	1	-	3	1	19	35	13	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEDYARD																
ALL RACES	225	15	1	-	-	4	2	4	6	48	92	55	14	-	-	-
NONWHITE	8	1	-	-	-	-	-	1	-	2	3	2	-	-	-	-
LISBON																
ALL RACES	35	6	-	-	-	-	-	1	1	17	8	8	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME																
ALL RACES	19	1	-	-	-	-	-	2	-	3	7	4	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD																
ALL RACES	122	8	-	-	-	1	-	3	3	34	37	35	7	2	-	-
NONWHITE	15	2	-	-	-	-	-	-	1	2	7	4	1	-	-	-
MIDDLEFIELD																
ALL RACES	36	2	-	-	-	-	-	-	1	10	13	9	3	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
MIDDLETOWN																
ALL RACES	524	35	-	2	1	3	5	14	22	184	173	95	24	1	-	-
NONWHITE	91	8	-	2	-	1	3	5	7	36	23	12	2	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER											
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
MONTVILLE																
ALL RACES	254	10	-	-	1	4	4	9	9	91	77	42	16	1	-	-
NONWHITE	5	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-
NEW LONDON																
ALL RACES	479	41	-	2	4	12	16	22	29	172	150	57	13	2	-	-
NONWHITE	131	18	-	2	-	7	9	8	2	47	40	12	4	-	-	-
N STONINGTON																
ALL RACES	23	1	-	-	-	1	-	-	1	6	10	4	-	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NORWICH																
ALL RACES	655	33	-	2	2	6	15	29	49	263	181	81	20	6	1	-
NONWHITE	54	2	-	-	-	-	4	1	2	28	12	5	1	1	-	-
OLD LYME																
ALL RACES	80	4	-	-	-	-	-	-	2	10	30	29	9	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
OLD SAYBROOK																
ALL RACES	89	7	-	-	-	-	3	4	1	23	34	16	7	-	1	-
NONWHITE	4	1	-	-	-	-	2	1	-	1	-	-	-	-	-	-
PLAINFIELD																
ALL RACES	200	9	-	-	-	5	9	17	17	72	49	24	5	2	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
POMFRET																
ALL RACES	41	3	-	-	-	-	-	3	2	10	17	8	-	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND																
ALL RACES	83	7	-	-	-	-	-	-	4	26	29	22	2	-	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
PRESTON																
ALL RACES	15	-	-	-	-	-	-	1	-	4	5	3	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM																
ALL RACES	120	15	-	-	1	2	6	7	9	52	23	14	5	1	-	-
NONWHITE	3	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-
SALEM																
ALL RACES	22	2	-	-	1	-	1	-	1	6	7	5	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND																
ALL RACES	5	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE																
ALL RACES	65	3	-	-	-	1	1	3	3	26	18	11	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
STERLING																
ALL RACES	25	-	-	-	2	-	-	1	2	7	7	5	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON																
ALL RACES	234	15	-	1	-	1	6	5	10	78	84	31	18	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
THOMPSON																
ALL RACES	121	10	-	2	2	1	2	7	6	39	34	18	9	1	-	-
NONWHITE	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
UNION																
ALL RACES	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN																
ALL RACES	31	1	-	-	-	-	-	-	1	11	13	5	-	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WATERFORD																
ALL RACES	149	10	-	1	-	1	1	1	-	39	55	43	5	3	-	-
NONWHITE	7	-	-	-	-	1	-	-	-	2	1	3	-	-	-	-
WESTBROOK																
ALL RACES	69	6	-	-	1	-	2	1	2	15	28	16	3	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
WILLINGTON																
ALL RACES	66	3	-	-	-	1	-	2	2	14	23	21	2	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
WINDHAM																
ALL RACES	313	21	-	-	2	2	8	14	28	112	90	44	13	-	-	-
NONWHITE	11	1	-	-	-	-	-	-	-	7	2	1	1	-	-	-
WOODSTOCK																
ALL RACES	62	3	-	-	-	-	1	1	1	15	23	15	6	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 4 NORTH CENTRAL																
ALL RACES	11,607	783	22	22	79	147	250	372	447	3,107	4,056	2,484	574	60	5	4
NONWHITE	1,746	228	2	11	30	50	90	105	118	540	471	249	71	8	1	2
ANDOVER																
ALL RACES	35	1	-	-	-	-	-	-	1	6	15	11	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVON																
ALL RACES	109	5	-	-	-	-	-	-	1	7	36	46	18	1	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
BERLIN																
ALL RACES	153	6	-	-	-	-	1	1	3	27	58	51	11	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
BLOOMFIELD																
ALL RACES	190	8	-	-	1	2	5	2	5	34	72	54	12	3	-	-
NONWHITE	72	3	-	-	1	2	5	2	2	16	22	14	6	2	-	-
BOLTON																
ALL RACES	45	2	-	-	-	-	-	-	-	14	17	11	3	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
BRISTOL																
ALL RACES	725	45	2	-	1	7	13	30	33	220	272	115	28	6	-	-
NONWHITE	38	4	-	-	-	-	1	3	1	15	11	4	3	-	-	-
BURLINGTON																
ALL RACES	104	5	-	-	1	-	-	-	3	10	47	36	7	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
CANTON																
ALL RACES	115	1	-	-	-	-	-	-	1	22	40	41	10	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
EAST GRANBY																
ALL RACES	55	1	-	-	-	-	1	1	1	12	20	16	4	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
EAST HARTFORD																
ALL RACES	641	46	1	-	1	2	5	15	25	204	264	106	18	1	-	-
NONWHITE	77	6	-	-	-		-	1	-	25	31	16	3	1	-	-
EAST WINDSOR																
ALL RACES	132	8	-	-	1	-	1	4	4	53	46	16	6	1	-	-
NONWHITE	9	1	-	-	-	-	-	2	-	3	2	1	1	-	-	-
ELLINGTON																
ALL RACES	114	7	-	-	-	-	3	3	3	28	40	28	7	2	-	-
NONWHITE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ENFIELD																
ALL RACES	530	31	2	1	-	11	10	11	17	156	203	103	16	2	-	-
NONWHITE	9	1	-	-	-	1	1	-	-	2	2	1	2	-	-	-
FARMINGTON																
ALL RACES	151	7	-	-	-	-	1	1	-	23	67	49	9	1	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-
GLASTONBURY																
ALL RACES	228	9	-	-	-	2	-	5	2	29	74	93	22	1	-	-
NONWHITE	6	1	-	-	-	-	-	1	-	-	2	3	-	-	-	-
GRANBY																
ALL RACES	105	5	-	-	-	-	-	2	1	14	40	36	10	2	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
HARTFORD																
ALL RACES	2,748	292	4	17	54	88	143	185	192	953	685	339	75	12	2	3
NONWHITE	1,223	177	2	11	23	41	75	88	102	406	304	136	29	5	1	2

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
HARTLAND																
ALL RACES.....	22	-	-	-	-	-	-	-	1	2	11	7	1	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON																
ALL RACES.....	117	1	-	-	1	1	-	3	1	22	41	41	7	-	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
MANCHESTER																
ALL RACES.....	602	35	1	2	2	2	5	9	13	158	248	131	29	3	-	-
NONWHITE.....	38	7	-	-	1	1	1	-	3	6	13	9	4	-	-	-
MARLBOROUGH																
ALL RACES.....	70	4	1	-	-	-	-	-	1	7	20	33	9	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN																
ALL RACES.....	1,060	62	-	1	11	20	33	42	54	363	349	151	31	3	2	-
NONWHITE.....	115	14	-	-	4	5	6	4	7	38	27	21	3	-	-	-
NEWINGTON																
ALL RACES.....	258	13	-	-	-	1	5	1	2	35	105	84	24	1	-	-
NONWHITE.....	10	-	-	-	-	-	-	-	-	2	4	2	2	-	-	-
PLAINVILLE																
ALL RACES.....	199	6	3	-	-	-	2	6	4	50	84	44	9	-	-	-
NONWHITE.....	8	-	-	-	-	-	-	1	-	-	2	3	2	-	-	-
PLYMOUTH																
ALL RACES.....	126	3	1	-	-	-	-	1	4	38	50	26	7	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ROCKY HILL																
ALL RACES.....	168	11	-	-	-	-	-	1	2	37	69	50	7	2	-	-
NONWHITE.....	12	-	-	-	-	-	-	-	-	-	6	5	1	-	-	-
SIMSBURY																
ALL RACES.....	202	16	-	-	1	-	-	3	3	20	75	73	25	1	-	1
NONWHITE.....	5	1	-	-	-	-	-	1	-	-	-	1	3	-	-	-
SOMERS																
ALL RACES.....	92	6	-	-	-	2	2	1	2	20	33	24	8	-	-	-
NONWHITE.....	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
SOUTHINGTON																
ALL RACES.....	455	25	3	1	-	-	6	2	6	98	182	137	23	-	-	-
NONWHITE.....	6	1	-	-	-	-	-	-	-	2	2	1	1	-	-	-
SOUTH WINDSOR																
ALL RACES.....	203	12	-	-	1	-	2	4	2	33	78	61	22	-	-	-
NONWHITE.....	8	-	-	-	-	-	-	-	-	3	3	1	1	-	-	-
STAFFORD																
ALL RACES.....	145	4	-	-	-	-	1	3	5	54	54	25	1	1	1	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER											
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
SUFFIELD																
ALL RACES	117	6	-	-	-	-	1	2	4	26	45	27	11	1	-	-
NONWHITE	3	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
TOLLAND																
ALL RACES	137	3	-	-	-	-	-	4	3	19	61	36	14	-	-	-
NONWHITE	8	-	-	-	-	-	-	1	-	2	-	3	2	-	-	-
VERNON																
ALL RACES	417	18	-	-	1	5	6	19	31	139	134	64	15	3	-	-
NONWHITE	8	1	-	-	-	-	-	-	1	2	3	2	-	-	-	-
WEST HARTFORD																
ALL RACES	446	26	3	-	1	2	-	2	3	56	169	167	38	8	-	-
NONWHITE	25	3	-	-	-	-	-	-	-	5	11	8	1	-	-	-
WETHERSFIELD																
ALL RACES	171	20	-	-	-	2	-	1	1	22	70	60	14	1	-	-
NONWHITE	4	2	-	-	-	-	-	-	-	3	1	-	-	-	-	-
WINDSOR																
ALL RACES	287	25	1	-	2	-	3	6	7	51	128	71	18	1	-	-
NONWHITE	36	5	-	-	1	-	1	-	1	4	16	11	2	-	-	-
WINDSOR LOCKS																
ALL RACES	133	8	-	-	-	-	1	2	6	45	54	21	3	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
HSA 5 NORTHWESTERN																
ALL RACES	6,237	405	31	7	16	62	94	151	206	1,603	2,255	1,372	414	51	5	1
NONWHITE	453	68	-	1	5	16	22	23	29	151	117	63	18	8	-	-
BARKHAMSTED																
ALL RACES	32	-	-	-	-	-	-	-	-	3	13	13	3	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
BEACON FALLS																
ALL RACES	49	4	-	-	-	-	2	-	-	15	20	10	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHEL																
ALL RACES	265	20	-	-	-	1	1	4	5	43	127	64	17	3	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-
BETHLEHEM																
ALL RACES	41	1	-	-	-	-	-	1	-	11	11	10	8	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER																
ALL RACES	6	-	-	-	-	-	-	-	1	1	-	2	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD																
ALL RACES	132	3	-	-	-	-	2	1	4	18	48	44	14	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER											
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
CANAAN																
ALL RACES	31	1	2	-	-	-	-	-	-	11	8	9	2	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CHESHIRE																
ALL RACES	219	13	-	-	-	-	1	1	3	24	89	79	21	1	-	-
NONWHITE	10	-	-	-	-	-	-	-	-	3	-	6	1	-	-	-
COLEBROOK																
ALL RACES	17	-	-	-	-	-	-	-	-	3	6	5	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL																
ALL RACES	19	2	-	-	-	-	-	-	1	6	5	5	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY																
ALL RACES	902	63	9	-	1	10	25	25	41	268	302	172	47	9	1	1
NONWHITE	115	19	-	-	-	4	7	4	6	40	28	15	5	6	-	-
GOSHEN																
ALL RACES	23	1	-	-	-	-	-	-	1	2	13	4	2	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
HARWINTON																
ALL RACES	55	1	-	-	-	-	-	1	-	7	25	20	1	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT																
ALL RACES	21	1	1	-	-	-	-	-	-	7	11	2	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LITCHFIELD																
ALL RACES	84	2	-	-	-	-	1	1	1	18	28	23	11	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
MIDDLEBURY																
ALL RACES	53	2	-	-	-	-	-	1	1	8	22	15	5	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MORRIS																
ALL RACES		-	-	-	-	-	-	-	-	1	4	4	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK																
ALL RACES	368	27	-	-	1	4	2	12	9	129	145	56	10	-	-	-
NONWHITE	10	1	-	-	-	-	-	-	-	3	3	3	1	-	-	-
NEW FAIRFIELD																
ALL RACES	139	7	2	-	-	1	2	1	3	25	50	43	14	-	-	-
NONWHITE	4	1	-	-	-	-	-	-	-	-	1	3	-	-	-	-
NEW HARTFORD																
ALL RACES	64	2	-	-	-	-	-	1	2	13	25	18	5	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
NEW MILFORD																
ALL RACES	302	20	-	-	1	2	2	7	4	67	123	78	14	3	-	-
NONWHITE	6	-	-	-	1	-	-	-	-	-	4	1	-	-	-	-
NEWTOWN																
ALL RACES	210	8	-	-	-	1	-	3	-	37	78	58	28	5	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
NORFOLK																
ALL RACES	38	1	-	-	-	-	1	1	-	9	13	10	4	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN																
ALL RACES	15	1	-	-	-	-	1	-	-	6	-	4	3	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSPECT																
ALL RACES	56	3	-	-	-	1	1	-	-	11	29	10	3	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REDDING																
ALL RACES	81	4	3	-	-	-	1	-	-	4	28	35	10	2	1	-
NONWHITE	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
RIDGEFIELD																
ALL RACES	186	9	7	-	-	-	3	1	4	23	58	65	29	2	1	-
NONWHITE	7	1	-	-	-	-	-	-	-	-	2	4	1	-	-	-
ROXBURY																
ALL RACES	20	2	-	-	-	-	-	-	1	2	8	6	2	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY																
ALL RACES	42	-	1	-	-	1	-	5	1	6	13	9	5	2	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
SHARON																
ALL RACES	28	4	-	-	-	-	-	-	-	11	8	7	2	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
SHERMAN																
ALL RACES	33	-	1	-	-	-	-	-	1	4	11	11	5	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
SOUTHBURY																
ALL RACES	117	8	-	-	-	-	-	1	3	14	37	48	13	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
THOMASTON																
ALL RACES	74	6	-	-	-	-	-	2	1	24	33	13	1	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
TORRINGTON																
ALL RACES	389	21	3	-	1	1	3	10	22	128	140	66	15	2	1	-
NONWHITE	18	2	-	-	-	-	-	-	-	8	7	3	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1982-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
WARREN																
ALL RACES.....	11	1	-	-	-	-	-	-	-	4	3	3	-	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON																
ALL RACES.....	48	-	1	-	-	1	1	1	-	12	17	9	6	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY																
ALL RACES.....	1,518	134	-	4	10	37	40	59	82	501	499	219	59	7	1	-
NONWHITE.....	252	42	-	1	4	12	15	18	23	90	62	21	5	1	-	-
WATERTOWN																
ALL RACES.....	209	12	-	-	1	-	2	5	5	45	85	50	16	-	-	-
NONWHITE.....	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
WINCHESTER																
ALL RACES.....	131	11	-	1	1	2	1	5	7	38	52	18	5	1	-	-
NONWHITE.....	3	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-
WOLCOTT																
ALL RACES.....	120	7	-	1	-	-	-	2	3	28	42	28	15	1	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
WOODBURY																
ALL RACES.....	77	3	1	-	-	-	2	-	-	16	26	27	6	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO BIRTHS REPORTED

TABLE 5: FETAL DEATHS OCCURRING IN CONNECTICUT, 1982

	ALL RACES, Age of Mother											NONWHITE, Age of Mother										
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Total	307	10	44	82	80	60	22	5	1	2	1	71	3	16	24	12	10	5	-	-	1	-
Sex:																						
Male	162	7	21	49	38	30	14	3	-	-	-	34	2	7	15	2	4	4	-	-	-	-
Female	141	3	21	33	42	30	7	1	1	2	1	35	1	7	9	10	6	1	-	-	1	-
Unknown	4	-	2	-	-	-	1	1	-	-	-	2	-	2	-	-	-	-	-	-	-	-
Place of delivery:																						
Hospitals	305	9	44	81	80	60	22	5	1	2	1	70	3	16	23	12	10	5	-	-	1	-
Other	1	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Unknown	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Period of gestation:																						
Under 20 weeks	3	-	1	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
20-27 weeks	66	3	11	18	13	13	6	2	-	-	-	14	1	4	4	5	-	-	-	-	-	-
28-31 weeks	28	1	6	7	8	4	1	1	-	-	-	11	1	3	4	-	2	1	-	-	-	-
32-35 weeks	36	1	6	12	7	7	2	-	-	1	-	5	-	1	2	-	2	-	-	-	-	-
36 weeks	12	-	3	2	3	3	-	-	-	-	1	3	-	2	-	1	-	-	-	-	-	-
37-39 weeks	29	-	6	3	7	7	4	1	-	1	-	9	-	1	2	1	3	1	-	-	1	-
40 weeks or over	31	2	3	7	12	6	1	-	-	-	-	3	-	1	1	-	-	1	-	-	-	-
Unknown	102	3	8	33	28	20	8	1	1	-	-	25	1	3	11	5	3	2	-	-	-	-
Weight at birth:																						
1000 grams or less	109	2	17	35	29	17	6	2	-	1	-	25	1	7	8	6	1	1	-	-	1	-
1001-1500 grams	38	1	6	14	4	11	2	-	-	-	-	15	-	3	7	-	4	1	-	-	-	-
1501-2000 grams	31	1	6	4	11	6	-	1	-	1	1	6	1	1	1	2	1	-	-	-	-	-
2001-2500 grams	25	-	1	7	7	7	2	1	-	-	-	4	-	-	1	1	1	1	-	-	-	-
2501-3000 grams	29	1	-	9	9	5	4	-	1	-	-	3	-	-	1	1	1	-	-	-	-	-
3001-3500 grams	22	-	4	9	4	5	-	-	-	-	-	6	-	-	6	-	-	-	-	-	-	-
3501-4000 grams	12	1	2	2	4	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
4001-4500 grams	4	-	-	-	2	-	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Over 4500 grams	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	35	4	8	2	9	5	6	1	-	-	-	10	1	4	-	2	2	1	-	-	-	-
Plural births:																						
Single	279	8	41	75	72	54	20	5	1	2	1	68	3	15	24	12	8	5	-	-	1	-
Twins	25	-	3	7	8	6	1	-	-	-	-	3	-	1	-	-	2	-	-	-	-	-
Unknown	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

-No fetal deaths reported

TABLE 6: CAUSES OF FETAL DEATHS OCCURRING IN CONNECTICUT, 1982

ICD No.	Causes of Fetal Deaths (ICD Ninth Revision)	TOTAL
	Total all causes	307
740	Anencephalus	3
742	Other congenital anomalies of nervous system	4
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	1
746	Other congenital anomalies of the heart	1
750	Other congenital anomalies of upper alimentary tract	1
753	Congenital anomalies of urinary system	1
758	Chromosomal anomalies	2
759	Other and unspecified congenital anomalies	5
760	Fetus allected by maternal conditions which may be unrelated to present pregnancy	10
761	Fetus affected by maternal complications of pregnancy	30
762	Fetus affected by complications of placenta, cord and membranes	99
763	Fetus affected by other complications of labor and delivery	14
764	Slow fetal growth and fetal malnutrition	2
765	Disorders relating to short gestation and unspecified low birthweight	18
768	Intrauterine hypoxia and birth asphyxia	20
769	Respiratory distress syndrome	1
770	Other respiratory conditions of fetus	1
771	Infections specific to perinatal period	1
775	Endocrine and metabolic disturbances specific to the fetus	2
778	Conditions involving integument and temperature control of fetus	1
779	Other and ill-defined conditions originating in perinatal period	90

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1982

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
TOTAL, ALL CAUSES	26,764	403	21	15	15	15	509	43	56	198	322	278	262	291	371	548	1,003	1,603	2,318	2,994	3,337	3,569	3,496	5,565	1
MALE	13,900	245	12	7	10	10	284	24	35	138	252	180	182	185	233	345	611	1,006	1,428	1,811	1,905	1,883	1,536	1,862	-
FEMALE	12,863	197	9	8	5	5	224	19	21	60	70	98	80	106	138	203	392	597	890	1,183	1,432	1,686	1,960	3,703	1
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7-9 CERTAIN OTHER INTESTINAL INFECTIONS																									
MALE	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
10-18 TUBERCULOSIS																									
MALE	12	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	1	2	1	1	1	2	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE	12	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	1	2	1	1	1	2	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
36 MENINGOCOCCAL INFECTION																									
MALE	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	6	-	1	1	-	-	2	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-
38 SEPTICEMIA																									
MALE	96	1	-	-	-	-	1	-	-	-	-	1	-	-	2	1	5	7	8	9	20	12	14	16	-
FEMALE	92	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	3	6	8	13	20	14	22	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE	36	-	-	-	-	-	-	-	-	-	2	1	1	2	2	-	-	4	3	1	3	8	6	3	-
FEMALE	40	-	-	1	-	-	1	-	-	1	-	1	1	1	-	-	2	5	2	6	3	4	7	6	-
140-208 MALIGNANT NEOPLASMS																									
MALE	3,300	1	-	2	2	1	6	4	6	8	6	11	14	22	29	75	171	309	445	554	556	460	334	290	-
FEMALE	3,094	-	-	-	1	1	2	2	1	4	4	21	24	30	57	94	179	279	406	436	430	400	351	374	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE	48	-	-	-	-	-	-	-	2	2	-	3	-	1	1	1	5	1	3	8	7	5	6	3	-
FEMALE	56	1	-	-	-	-	1	-	-	2	1	1	-	1	-	1	3	3	7	10	4	8	6	8	-
250 DIABETES MELLITIS																									
MALE	208	-	-	-	-	-	-	-	-	-	2	1	2	6	5	7	13	13	34	28	25	30	25	17	-
FEMALE	263	-	-	-	-	-	-	-	-	-	-	1	1	4	2	2	10	10	21	30	37	39	42	64	-
280-285 ANEMIAS																									
MALE	11	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	4	-	1	-	2	-
FEMALE	20	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	2	2	2	1	8	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE	62	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	8	9	12	10	7	4	-	-	-
FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	-	5	3	-	-	1	-	-	-
320-322 MENINGITIS																									
MALE	5	2	-	-	1	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	-	1	1	1	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1982-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
390-448 MAJOR CARDIOVASCULAR DISEASES																								
MALE	6,602	31	11	1	-	1	61	21	41	31	61	151	211	371	631	1411	2581	4771	6921	9131	9731	1,0241	8431	1,1001	-
FEMALE	6,626	11	11	-	-	1	31	11	-	11	41	91	91	181	311	391	1091	1691	2971	4961	6711	9501	1,2401	2,5841	-
390-398,402,404-429 DISEASES OF THE HEART																								
MALE	5,420	31	-	1	1	-	1	51	21	31	21	21	111	161	301	761	1281	2261	4291	6211	7871	8031	8111	6481	825	-
FEMALE	4,965	11	11	-	-	1	31	11	-	11	21	61	61	81	211	301	921	1341	2391	4041	5201	7351	905	1,8581	-
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																								
MALE	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31	21	21	31	51	51	21	21	41	-
FEMALE	66	-	-	-	-	-	-	-	-	-	-	-	11	11	-	-	21	41	51	81	61	131	111	121	51	-			
402 HYPERTENSIVE HEART DISEASE																								
MALE	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	51	111	151	121	201	161	191	111	151	-			
FEMALE	149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	-	11	81	21	131	141	141	291	301	371	-		
404 HYPERTENSIVE HEART AND RENAL DISEASE																								
MALE	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	-	1	41	-		
FEMALE	171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	11	41	31	81	-			
410-414 ISCHEMIC HEART DISEASE																								
MALE	4,198	-	-	-	-	-	-	-	11	-	-	51	91	221	581	941	1731	3421	4811	6191	6361	6311	5051	6221	-			
FEMALE	3,705	-	-	-	-	-	-	-	-	-	-	11	11	21	141	151	611	901	1571	2771	3961	5681	690	1,4331	-			
415-429 OTHER HEART DISEASE																								
MALE	1,063	31	-	1	1	-	1	51	21	21	21	21	61	71	81	171	261	601	701	1251	1381	1441	1591	1301	1801	-			
FEMALE	1,028	11	11	-	-	1	31	11	-	11	21	41	41	51	71	121	151	171	611	1061	981	1231	1701	3751	-				
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																								
MALE	53	-	-	-	-	-	-	-	-	-	-	-	-	-	21	-	-	11	21	61	41	51	51	61	71	151	-		
FEMALE	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	11	61	51	111	141	261	-		
430-438 CEREBROVASCULAR DISEASES																								
MALE	813	-	11	-	-	-	1	-	11	11	41	31	31	61	51	121	261	371	461	781	1101	1421	1491	1941	-				
FEMALE	1,255	-	-	-	-	-	-	-	-	-	11	31	21	101	31	91	161	271	531	671	1231	1671	2531	5211	-				
440 ATHEROSCLEROSIS																								
MALE	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	-	11	11	41	81	171	291	171	541	-			
FEMALE	223	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	11	21	31	91	181	441	1451	-			
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																								
MALE	184	-	-	-	-	-	-	-	-	-	-	11	-	11	11	-	31	91	171	401	421	361	221	121	-				
FEMALE	118	-	-	-	-	-	-	-	-	-	11	-	11	-	11	-	11	51	21	161	141	191	241	341	-				
480-486 PNEUMONIA																								
MALE	392	21	-	1	11	-	1	31	41	-	1	21	11	11	31	21	31	71	61	121	121	251	471	631	581	1431	-		
FEMALE	336	11	31	-	-	-	-	41	-	11	11	11	-	21	11	-	41	31	61	61	91	231	391	571	1791	-			

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1982-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
487 INFLUENZA																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																									
MALE	474	1	1	-	-	-	2	-	-	2	-	-	1	1	1	6	13	16	42	71	80	91	84	64	-
FEMALE	268	1	-	-	-	-	1	-	-	-	-	-	2	1	1	5	4	21	21	43	59	37	35	38	-
531-533 ULCER OF STOMACH AND DUODENUM																									
MALE	29	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	2	3	3	7	5	3	-
FEMALE	34	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	2	3	5	6	13	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																									
MALE	30	1	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	1	1	2	5	5	5	8	-
FEMALE	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	6	4	11	24	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																									
MALE	216	2	-	-	-	-	2	-	-	-	-	1	3	5	14	17	25	32	38	32	26	11	6	4	-
FEMALE	134	-	-	-	-	-	-	-	-	-	-	-	2	4	5	8	16	18	19	22	12	14	8	6	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																									
MALE	109	1	-	-	-	-	1	-	1	1	1	-	-	-	3	1	3	5	5	12	16	18	14	28	-
FEMALE	103	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	13	11	16	9	16	33	-
590 INFECTIONS OF KIDNEY																									
MALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	2	-
FEMALE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	6	-
600 HYPERPLASIA OF PROSTATE																									
MALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	-
740-759 CONGENITAL ANOMALIES																									
MALE	71	50	1	1	4	1	57	2	2	1	1	1	2	2	-	1	-	-	1	-	1	1	-	-	-
FEMALE	80	55	2	1	1	-	59	4	1	2	5	1	1	1	-	1	2	1	-	1	-	1	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																									
MALE	138	138	-	-	-	-	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	105	105	-	-	-	-	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																									
MALE	25	25	-	-	-	-	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	20	20	-	-	-	-	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																									
MALE	718	2	3	1	2	2	10	10	11	80	139	86	57	40	37	26	33	22	31	25	21	33	24	33	-
FEMALE	345	3	1	2	1	2	9	10	9	30	23	23	10	12	12	15	15	21	14	14	25	27	27	49	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1982-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
E810-E825 MOTOR VEHICLE ACCIDENTS																									
MALE	339	-	2	-	-	2	4	4	7	54	99	47	38	23	13	5	6	7	7	4	5	9	6	1	-
FEMALE	131	-	-	1	-	-	1	7	5	20	17	13	9	5	5	9	4	8	3	5	5	5	6	4	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																									
MALE	35	-	-	-	-	-	-	2	3	3	4	5	4	2	2	3	-	2	-	2	1	1	1	-	-
FEMALE	14	-	-	-	1	1	2	1	1	2	2	1	-	-	-	1	1	-	-	-	1	-	1	1	-
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																									
MALE	186	-	-	-	-	-	-	-	-	13	28	18	22	15	10	13	15	10	12	8	10	4	6	2	-
FEMALE	56	-	-	-	-	-	-	-	-	-	5	6	6	4	8	3	9	4	3	3	3	1	-	1	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																									
MALE	122	2	1	-	-	-	3	1	4	10	25	13	13	14	7	7	7	8	5	3	-	1	1	-	-
FEMALE	51	-	-	-	1	-	1	2	5	7	6	11	3	3	2	1	-	2	3	1	-	1	3	-	-
ALL OTHER CAUSES																									
MALE	991	13	5	-	1	3	22	5	4	14	40	27	41	34	28	35	46	70	77	102	102	104	102	138	-
FEMALE	1,036	10	1	3	1	1	16	-	4	12	19	22	16	21	21	23	33	43	64	84	122	120	131	284	1

- NO DEATHS REPORTED
NOTE: TABLE IS AVAILABLE BY TOWN OF RESIDENCE

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1982

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
TOTAL, ALL CAUSES	1,394	106	3	1	-	-	110	4	2	16	29	33	42	57	64	69	105	162	133	122	132	123	92	99	-
MALE	812	58	3	-	-	-	61	3	2	12	22	17	32	40	43	46	65	111	78	74	74	62	41	29	-
FEMALE	581	47	-	1	-	-	48	1	-	4	7	16	10	17	21	23	40	51	55	48	58	61	51	70	-
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7-9 CERTAIN OTHER INTESTINAL INFECTIONS																									
MALE	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-18 TUBERCULOSIS																									
MALE	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
36 MENINGOCOCCAL INFECTION																									
MALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 SEPTICEMIA																									
MALE	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-
FEMALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	1	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE	7	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	-	-	-	2	-	-	-
FEMALE	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-
140-208 MALIGNANT NEOPLASMS																									
MALE	170	-	-	-	-	-	-	-	-	1	-	2	1	2	4	11	20	32	26	25	18	13	10	5	-
FEMALE	136	-	-	-	-	-	-	-	-	1	-	2	-	4	7	8	10	21	23	15	10	17	10	8	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
250 DIABETES MELLITIS																									
MALE	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	1	4	3	-	-	-
FEMALE	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	6	-	2	2	-	2	-
280-285 ANEMIAS																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE	17	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	4	4	-	1	-	-	-	-	-
FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE	270	1	1	-	-	-	2	-	-	-	2	2	4	5	15	14	15	38	35	34	38	28	19	18	-
FEMALE	249	1	-	-	-	-	1	-	-	-	1	1	4	3	7	8	17	16	15	25	36	32	32	51	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1982-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																					
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
390-398,402,404-429 DISEASES OF THE HEART																								
MALE	218	1	-	-	-	-	1	-	-	-	1	1	2	3	13	10	9	31	34	29	35	21	15	13	-
FEMALE	184	1	-	-	-	-	1	-	-	-	1	1	3	2	6	7	14	10	12	20	26	23	23	35	-
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																								
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
402 HYPERTENSIVE HEART DISEASE																								
MALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	2	-	-	-	-
FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	3	-	1	1	1	-
404 HYPERTENSIVE HEART AND RENAL DISEASE																								
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
410-414 ISCHEMIC HEART DISEASE																								
MALE	154	-	-	-	-	-	-	-	-	-	-	-	1	1	10	7	5	20	21	25	23	19	11	11	-
FEMALE	116	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	7	7	8	14	16	16	17	25	-
415-429 OTHER HEART DISEASE																								
MALE	56	1	-	-	-	-	1	-	-	-	1	1	1	2	3	2	4	8	12	4	9	2	4	2	-
FEMALE	56	1	-	-	-	-	1	-	-	-	1	1	2	1	3	4	5	3	4	3	9	5	5	9	-
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																								
MALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-
430-438 CEREBROVASCULAR DISEASES																								
MALE	39	-	1	-	-	-	1	-	-	-	1	-	2	2	2	3	4	5	1	3	1	5	4	5	-
FEMALE	50	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	4	2	3	8	9	7	10	-
440 ATHEROSCLEROSIS																								
MALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																								
MALE	7	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	-	1	1	-	-	-	-
FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2	-
480-486 PNEUMONIA																								
MALE	26	-	-	-	-	-	-	-	-	1	-	-	1	1	1	3	1	3	-	2	4	6	2	1	-
FEMALE	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	-	2	-	-
487 INFLUENZA																								
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1982-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																								
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																										
MALE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	1	3	2	2	-	-
FEMALE	9	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	2	-	1	-	3	-	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																										
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																										
MALE	22	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	3	5	2	1	2	-	-	-	-
FEMALE	11	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	3	2	-	-	-	-	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																										
MALE	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	2	2	1	1	-
FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	1	2	-
740-759 CONGENITAL ANOMALIES																										
MALE	4	3	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	11	10	-	1	-	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																										
MALE	39	39	-	-	-	-	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	25	25	-	-	-	-	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																										
MALE	11	11	-	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	5	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																										
MALE	50	-	1	-	-	-	1	2	-	2	4	4	10	7	4	2	2	4	2	2	-	3	1	-	-
FEMALE	19	1	-	-	-	-	1	1	-	1	1	2	1	1	-	1	3	2	-	-	4	-	-	1	-
E810-E825 MOTOR VEHICLE ACCIDENTS																										
MALE	16	-	1	-	-	-	1	-	-	-	1	3	6	2	1	-	-	1	-	-	-	1	-	-	-
FEMALE	4	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																										
MALE	3	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																										
MALE	6	-	-	-	-	-	-	-	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1982-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																								
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
E960-E978 HOMICIDE AND LEGAL INTERVENTION																										
MALE	46	-	-	-	-	-	-	1	1	6	8	4	5	6	2	2	4	4	2	1	-	-	-	-	-
FEMALE	9	-	-	-	-	-	-	-	-	-	2	5	-	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																										
MALE	87	2	1	-	-	-	3	-	-	1	4	4	7	9	8	8	9	14	3	4	3	2	4	4	-
FEMALE	57	4	-	-	-	-	4	-	-	2	2	4	1	6	2	2	7	6	2	4	2	7	2	4	-

- NO DEATHS REPORTED

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1982

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
CONNECTICUT	443	106	214	91	39	33	66	105	244	53	21	45	49
HSA 1 SOUTHWESTERN	89	29	43	15	10	10	11	20	49	16	7	8	12
BRIDGEPORT	51	17	24	8	6	7	6	12	27	9	7	6	6
DARIEN	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTON	-	-	-	-	-	-	-	-	-	-	-	-	-
FAIRFIELD	2	1	2	-	-	-	-	-	2	-	-	-	-
GREENWICH	1	-	-	1	-	-	-	-	1	-	-	-	-
MONROE	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
NORWALK	9	4	3	1	1	2	2	2	3	-	-	-	4
STAMFORD	20	7	11	2	3	1	3	5	11	6	-	2	2
STRATFORD	4	-	1	3	-	-	-	1	3	-	-	-	-
TRUMBULL	2	-	2	-	-	-	-	-	2	1	-	-	-
WESTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTPORT	-	-	-	-	-	-	-	-	-	-	-	-	-
WILTON	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 2 SOUTH CENTRAL	93	28	46	14	11	4	18	28	44	13	3	9	12
ANSONIA	4	1	2	1	-	-	1	2	2	-	-	-	-
BETHANY	-	-	-	-	-	-	-	-	-	-	-	-	-
BRANFORD	5	-	2	-	2	-	1	5	-	-	-	-	-
DERBY	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HAVEN	3	-	3	-	-	-	-	3	-	-	-	-	-
GUILFORD	1	-	-	1	-	-	-	1	-	-	-	-	-
HAMDEN	7	-	3	1	3	-	-	3	4	2	1	-	-
MADISON	2	-	-	1	-	1	-	1	-	-	-	1	-
MERIDEN	7	1	1	-	2	-	4	1	2	1	-	1	3
MILFORD	11	-	9	-	-	-	2	2	7	4	1	1	1
NEW HAVEN	32	23	18	6	2	1	5	4	21	5	1	2	5
NORTH BRANFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH HAVEN	4	-	1	1	-	-	2	1	1	-	-	1	1
ORANGE	-	-	-	-	-	-	-	-	-	-	-	-	-
OXFORD	1	-	-	1	-	-	-	-	1	-	-	-	-
SEYMOUR	-	-	-	-	-	-	-	-	-	-	-	-	-
SHELTON	2	1	-	-	1	-	1	1	-	-	-	1	-
WALLINGFORD	3	-	1	-	1	-	1	2	-	-	-	-	1
WEST HAVEN	11	2	6	2	-	2	1	2	6	1	-	2	1
WOODBRIDGE	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 3 EASTERN	63	7	32	12	5	8	6	15	33	7	5	6	9
ASHFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
BOZRAH	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTERBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
CHAPLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER	-	-	-	-	-	-	-	-	-	-	-	-	-
CLINTON	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1982-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
COLCHESTER	1	-	1	-	-	-	-	-	1	-	1	-	-
COLUMBIA	-	-	-	-	-	-	-	-	-	-	-	-	-
COVENTRY	1	-	1	-	-	-	-	-	1	1	-	-	-
CROMWELL	-	-	-	-	-	-	-	-	-	-	-	-	-
DEEP RIVER	-	-	-	-	-	-	-	-	-	-	-	-	-
DURHAM	1	-	1	-	-	-	-	-	1	-	-	-	-
EASTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM	1	-	1	-	-	-	-	-	1	-	-	-	-
EAST HAMPTON	2	-	-	-	-	-	2	1	-	-	-	-	1
EAST LYME	1	-	-	-	-	1	-	-	-	-	-	1	-
ESSEX	1	-	1	-	-	-	-	-	1	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD	4	-	-	1	1	1	1	2	-	-	-	1	1
GROTON	8	1	7	-	-	1	-	1	6	1	1	1	-
HADDAM	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMPTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY	3	-	3	-	-	-	-	-	3	1	-	-	-
KILLINGWORTH	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON	-	-	-	-	-	-	-	-	-	-	-	-	-
LEDYARD	3	-	1	2	-	-	-	2	1	-	-	-	-
LISBON	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME	1	-	-	1	-	-	-	1	-	-	-	-	-
MANSFIELD	1	1	1	-	-	-	-	-	1	1	-	-	-
MIDDLEFIELD	1	-	-	1	-	-	-	1	-	-	-	-	-
MIDDLETOWN	4	2	2	1	-	-	1	1	2	-	-	-	1
MONTVILLE	4	-	1	1	2	-	-	-	3	-	1	-	1
NEW LONDON	7	3	3	1	1	2	-	1	4	1	-	1	1
N STONINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
NORWICH	5	-	2	2	-	1	-	-	4	1	1	1	-
OLD LYME	-	-	-	-	-	-	-	-	-	-	-	-	-
OLD SAYBROOK	1	-	1	-	-	-	-	1	-	-	-	-	-
PLAINFIELD	2	-	1	-	1	-	-	1	-	-	-	-	1
POMFRET	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
PRESTON	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM	3	-	1	1	-	-	1	1	1	-	1	-	1
SALEM	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE	1	-	1	-	-	-	-	-	1	1	-	-	-
STERLING	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON	1	-	-	-	-	1	-	-	-	-	-	-	1
THOMPSON	2	-	1	1	-	-	-	1	1	-	-	-	-
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERFORD	2	-	1	-	-	1	-	1	-	-	-	1	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1982-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
WESTBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
WILLINGTON	1	-	1	-	-	-	-	-	1	-	-	-	-
WINDHAM	1	-	-	-	-	-	1	-	-	-	-	-	1
WOODSTOCK	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 4 NORTH CENTRAL	139	33	60	37	8	7	27	32	76	10	5	17	14
ANDOVER	-	-	-	-	-	-	-	-	-	-	-	-	-
AVON	1	-	-	-	-	-	1	-	-	-	-	1	-
BERLIN	1	-	-	-	-	-	1	1	-	-	-	-	-
BLOOMFIELD	1	-	1	-	-	-	-	1	-	-	-	-	-
BOLTON	-	-	-	-	-	-	-	-	-	-	-	-	-
BRISTOL	7	2	5	1	-	-	1	3	4	1	-	-	-
BURLINGTON	2	-	1	1	-	-	-	1	1	-	-	-	-
CANTON	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST GRANBY	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HARTFORD	6	1	2	1	-	-	3	2	-	-	-	-	4
EAST WINDSOR	1	-	-	-	-	-	1	-	-	-	-	1	-
ELLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
ENFIELD	7	-	4	1	1	-	1	3	3	-	-	1	-
FARMINGTON	4	-	3	-	1	-	-	1	3	1	-	-	-
GLASTONBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANBY	1	-	-	-	-	1	-	-	-	-	-	1	-
HARTFORD	47	26	16	16	2	4	9	5	30	4	1	7	5
HARTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON	1	-	-	1	-	-	-	-	1	-	-	-	-
MANCHESTER	6	-	4	1	-	-	1	1	4	-	1	-	1
MARLBOROUGH	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN	14	2	5	5	3	-	1	1	12	1	2	-	1
NEWINGTON	1	-	-	1	-	-	-	1	-	-	-	-	-
PLAINVILLE	2	-	2	-	-	-	-	-	2	2	-	-	-
PLYMOUTH	1	-	1	-	-	-	-	-	1	-	-	-	-
ROCKY HILL	1	-	-	-	-	1	-	-	-	-	-	1	-
SIMSBURY	3	-	-	3	-	-	-	2	1	-	-	-	-
SOMERS	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHINGTON	3	-	3	-	-	-	-	2	1	-	-	-	-
SOUTH WINDSOR	3	-	2	-	-	-	1	1	2	-	-	-	-
STAFFORD	1	-	1	-	-	-	-	-	1	1	-	-	-
SUFFIELD	1	-	-	-	-	1	-	1	-	-	-	-	-
TOLLAND	1	-	1	-	-	-	-	-	1	-	-	-	-
VERNON	6	-	2	1	-	-	3	1	3	-	-	2	-
WEST HARTFORD	7	1	1	3	1	-	2	3	1	-	-	1	2
WETHERSFIELD	2	-	2	-	-	-	-	-	2	-	1	-	-
WINDSOR	6	1	3	2	-	-	1	2	2	-	-	1	1
WINDSOR LOCKS	2	-	1	-	-	-	1	-	1	-	-	1	-
HSA 5 NORTHWESTERN	59	9	33	13	5	4	4	10	42	7	1	5	2
BARKHAMSTED	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1982-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
BEACON FALLS	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHEL	2	-	2	-	-	-	-	-	2	-	-	-	-
BETHLEHEM	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD	1	-	1	-	-	-	-	1	-	-	-	-	-
CANAAN	2	-	-	2	-	-	-	1	1	-	-	-	-
CHESHIRE	5	-	3	1	-	-	1	-	4	1	-	-	1
COLEBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL	1	-	-	1	-	-	-	-	1	-	-	-	-
DANBURY	11	5	6	1	1	2	1	1	9	2	1	1	-
GOSHEN	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT	-	-	-	-	-	-	-	-	-	-	-	-	-
LITCHFIELD	1	-	1	-	-	-	-	-	1	-	-	-	-
MIDDLEBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
MORRIS	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK	1	-	1	-	-	-	-	-	-	-	-	1	-
NEW FAIRFIELD	1	-	1	-	-	-	-	-	1	-	-	-	-
NEW HARTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW MILFORD	1	-	1	-	-	-	-	1	-	-	-	-	-
NEWTOWN	2	-	-	1	1	-	-	1	1	-	-	-	-
NORFOLK	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSPECT	1	-	1	-	-	-	-	-	1	1	-	-	-
REDDING	1	-	-	1	-	-	-	-	1	-	-	-	-
RIDGEFIELD	2	-	1	-	1	-	-	-	2	-	-	-	-
ROXBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERMAN	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
THOMASTON	-	-	-	-	-	-	-	-	-	-	-	-	-
TORRINGTON	3	-	2	1	-	-	-	1	2	-	-	-	-
WARREN	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY	18	4	10	5	2	1	-	2	15	3	-	1	-
WATERTOWN	4	-	3	-	-	-	1	2	1	-	-	1	-
WINCHESTER	1	-	-	-	-	-	1	-	-	-	-	-	1
WOLCOTT	1	-	-	-	-	1	-	-	-	-	-	1	-
WOODBURY	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO DEATHS REPORTED

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1982

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES	443	214	91	19	13	7	344	16	17	23	10	9	7	4	5	1	4	3
MALE	245	118	46	10	5	3	182	9	12	18	7	3	3	-	4	1	3	3
FEMALE	197	95	45	9	8	4	161	7	5	5	3	6	4	4	1	-	1	-
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS																		
MALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
390-398, 402,404-429 DISEASES OF THE HEART																		
MALE	3	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE	3	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
480-486 PNEUMONIA																		
MALE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
520-579 DISEASES OF THE DIGESTIVE SYSTEM																		
MALE	4	1	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE	50	22	15	3	-	1	41	3	-	2	-	-	1	-	-	-	1	2
FEMALE	55	24	13	4	4	3	48	2	-	1	1	2	-	1	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE	138	94	30	6	5	1	136	-	-	-	1	-	-	-	-	-	1	-
FEMALE	105	69	29	3	3	-	104	-	-	1	-	-	-	-	-	-	-	-
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1982-Continued

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE	27	27	-	-	-	-	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE	25	22	3	-	-	-	25	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE	5	1	2	1	1	-	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE	10	8	1	1	-	-	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE	11	6	5	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE	25	-	-	-	-	-	-	3	8	8	4	1	-	-	1	-	-	-
FEMALE	20	1	1	-	-	-	2	4	5	3	2	2	1	1	-	-	-	-
E800-E949 ACCIDENTS																		
MALE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
FEMALE	3	-	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-	-
E911-E912 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT																		
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
E913 ACCIDENTAL MECHANICAL SUFFOCATION																		
MALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE	17	1	1	1	-	1	4	1	2	5	1	1	-	-	1	1	-	1
FEMALE	10	1	1	2	1	-	5	1	-	-	-	1	2	-	-	-	1	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1982-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES	106	53	16	5	3	2	79	5	5	8	2	1	4	1	1	-	-	-
MALE	58	29	9	2	-	1	41	2	4	8	1	-	1	-	1	-	-	-
FEMALE	47	23	7	3	3	1	37	3	1	-	1	1	3	1	-	-	-	-
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
390-398, 402,404-429 DISEASES OF THE HEART																		
MALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE	3	1	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE	10	6	1	-	1	1	9	1	-	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE	39	28	8	2	-	1	39	-	-	-	-	-	-	-	-	-	-	-
FEMALE	25	17	5	2	1	-	25	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE	5	6	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE	8	8	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE	3	1	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1982-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE	3	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE	11	-	-	-	-	-	-	1	3	6	1	-	-	-	-	-	-	-
FEMALE	5	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-
E800-E949 ACCIDENTS																		
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER CAUSES																		
MALE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE	4	-	-	1	1	-	2	-	-	-	-	-	2	-	-	-	-	-

- NO DEATHS REPORTED

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1982

Causes of Death (ICD 9th Revision)	Total Deaths	Age Specific Death Rate Per 100,000	Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Per Cent Within Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Per Cent Within Age Group
All Causes (under 1 year)*	443	10.9	100.0	246	11.9	100.0	197	9.9	100.0
Certain conditions originating in perinatal period (760-779)	244	6.0	55.1	139	6.7	56.5	105	5.3	53.3
Congenital anomalies (740-779)	105	2.6	23.7	50	2.4	20.3	55	2.8	27.9
Sudden infant death syndrome (798.0)	45	1.1	10.2	25	1.2	10.2	20	1.0	10.2
Accidents, total (E800-E949)	5	0.1	1.1	2	0.1	.8	3	0.2	1.5
All other causes	44	1.1	9.9	30	1.5	12.2	14	0.7	7.1
All Causes (1-14 years)	165	28.3	100.0	98	32.9	100.0	67	23.5	100.0
Accidents, total (E800-E949)	54	9.3	32.7	29	9.7	29.6	25	8.8	37.3
Malignant neoplasms (140-208)	20	3.4	12.1	15	5.0	15.3	5	1.8	7.5
Congenital anomalies (740-759)	20	3.4	12.1	11	3.7	11.2	9	3.2	13.4
Homicides and legal intervention (E960-E978)	14	2.4	8.5	6	2.0	6.1	8	2.8	11.9
Diseases of the heart (390-398, 402, 404-429)	10	1.7	6.1	6	2.0	6.1	4	1.4	6.0
Pneumonia and influenza (480-487)	6	1.0	3.6	2	0.7	2.0	4	1.4	6.0
Hereditary and degenerative diseases central nervous system (330-337)	4	0.7	2.4	3	1.0	3.1	1	0.4	1.5
All other causes	37	6.3	22.5	26	8.7	26.6	11	3.9	16.4
All Causes (15-24 years)	520	94.7	100.0	390	141.3	100.0	130	47.6	100.0
Accidents, total (E800-E849)	272	49.5	52.3	219	79.3	56.2	53	19.4	40.8
Homicides and legal intervention (E960-E978)	48	8.7	9.2	35	12.7	9.0	13	4.8	10.0
Suicides (E950-E959)	46	8.4	8.8	41	14.9	10.5	5	1.8	3.8
Malignant neoplasms (140-208)	22	4.0	4.2	14	5.1	3.6	8	2.9	6.2
Injury undetermined whether accidentally or purposely inflicted (E980-E989)	11	2.0	2.1	10	3.6	2.6	1	0.4	0.8
Congenital anomalies (740-759)	9	1.6	1.7	2	0.7	0.5	7	2.6	5.4
Diseases of the heart (390-398, 402, 404-429)	7	1.3	1.3	4	1.4	1.0	3	1.1	2.3
Cerebrovascular disease (430-438)	6	1.1	1.2	5	1.8	1.3	1	0.4	0.8
All other causes	99	18.0	19.2	60	21.7	15.3	39	14.3	29.9
All Causes (25-44 years)	1202	133.2	100.0	780	176.8	100.0	422	91.5	100.0
Accidents, total (E800-E949)	277	30.7	23.0	220	49.9	28.2	57	12.4	13.5
Malignant neoplasms (140-208)	208	23.0	17.3	76	17.2	9.7	132	28.6	31.3
Diseases of the heart (390-398, 402, 404-429)	174	19.3	14.5	133	30.1	17.1	41	8.9	9.7
Suicide (E950-E959)	89	9.9	7.4	65	14.7	8.3	24	5.2	5.7
Homicide and legal intervention (E960-E978)	66	7.3	5.5	47	10.7	6.0	19	4.1	4.5
Cerebrovascular disease (430-438)	35	3.9	2.9	17	3.9	2.2	18	3.9	4.3
Chronic liver disease and cirrhosis (571)	34	3.8	2.8	23	5.2	2.9	11	2.4	2.6
Diabetes mellitus (250)	22	2.4	1.8	14	3.2	1.8	8	1.7	1.9
Alcohol dependence syndrome (303)	17	1.9	1.4	12	2.7	1.5	5	1.1	1.2

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1982 cont'd.

Causes of Death (ICD 9th Revision)	Total Deaths	Age Specific Death Rate Per 100,000	Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Per Cent Within Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Per Cent Within Age Group
All Causes (25-44 years) cont'd.									
Injury undetermined whether accidentally or purposely inflicted (E980-E989)	11	1.2	0.9	8	1.8	1.0	3	0.7	0.7
Pneumonia and influenza (480-487)	10	1.1	0.8	7	1.6	0.9	3	0.7	0.7
All other causes	259	28.7	21.7	158	35.8	20.4	101	21.9	23.9
All Causes (45-64 years)	5472	824.3	100.0	3390	1068.1	100.0	2082	601.0	100.0
Malignant neoplasms (140-208)	1958	295.0	35.8	1000	315.1	29.5	958	276.5	46.0
Diseases of the heart (390-398, 402, 404-429)	1898	285.9	34.7	1404	442.4	41.4	494	142.6	23.7
Cerebrovascular disease (430-438)	221	33.3	4.0	116	36.5	3.4	105	30.3	5.0
Accidents, total (E800-E959)	177	26.7	3.2	112	35.3	3.3	65	18.8	3.1
Chronic liver disease and cirrhosis (571)	173	26.1	3.2	112	35.3	3.3	61	17.6	2.9
Chronic obstructive pulmonary disease and allied conditions (490-496)	128	19.3	2.3	77	24.3	2.3	51	14.7	2.4
Diabetes mellitus (250)	110	16.6	2.0	67	21.1	2.0	43	12.4	2.1
Suicide (E950-E959)	69	10.4	1.3	27	8.5	0.8	6	1.7	0.3
Pneumonia and influenza (480-487)	61	9.2	1.1	42	13.2	1.2	19	5.5	0.9
Alcohol dependence syndrome (303)	51	7.7	0.9	39	12.3	1.2	12	3.5	0.6
All other causes	626	94.3	11.5	394	124.1	11.6	268	77.4	13.0
All Causes (65 years and over)	18961	4888.2	100.0	8997	5906.6	100.0	9964	4229.7	100.0
Diseases of the heart (390-398, 402, 404-429)	8291	2137.5	43.7	4869	3196.6	54.1	4422	1877.1	44.4
Malignant neoplasms (140-208)	4185	1078.9	22.1	2194	1440.4	24.4	1991	845.2	20.0
Cerebrovascular disease (430-438)	1804	465.1	9.5	673	441.8	7.5	1131	480.1	11.4
Pneumonia and influenza (480-487)	647	166.8	3.4	338	221.9	3.8	309	131.2	3.1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	602	155.2	3.2	390	256.0	4.3	212	90.0	2.1
Atherosclerosis (440)	344	88.7	1.8	125	82.1	1.4	219	93.0	2.2
Diabetes Mellitus (250)	336	86.6	1.8	125	82.1	1.4	211	89.6	2.1
Accidents, total (E800-E949)	278	71.7	1.5	136	89.3	1.5	142	60.3	1.4
All other causes	2474	637.8	13.0	147	96.5	1.6	1327	563.3	13.3

*Rates for persons under one year per 1,000 live births.

TABLE 12: NUMBER OF PRESENT MARRIAGE FOR BRIDE AND GROOM IN MARRIAGES OCCURRING IN CONNECTICUT, 1982

	Number For Groom								
Number for Bride	TOTAL	First	Second	Third	Fourth	Fifth	Sixth	Seventh	Unknown
TOTAL	26,846	18,451	7,225	1,033	94	10	-	1	32
First	19,118	15,870	2,935	275	16	3	-	-	19
Second	6,638	2,334	3,673	567	56	3	-	1	4
Third	937	209	547	165	15	1	-	-	-
Fourth	91	12	55	18	4	2	-	-	-
Fifth	18	2	7	5	3	1	-	-	-
Sixth	1	1	-	-	-	-	-	-	-
Seventh	1	-	1	-	-	-	-	-	-
Unknown	42	23	7	3	-	-	-	-	9

TABLE 13: MARITAL STATUS OF BRIDE AND GROOM IN MARRIAGES OCCURRING IN CONNECTICUT, 1982

	Previous Marital Status of Groom				
Previous Marital Status of Bride	TOTAL	Single	Widowed	Divorced	Annulled
TOTAL	26,846	18,557	790	7,419	80
Single	19,290	16,052	116	3,070	52
Widowed	770	114	345	307	4
Divorced	6,705	2,352	323	4,014	16
Annulled	81	39	6	28	8

TABLE 14: COUNTY OF DISSOLUTION OF MARRIAGES
CONNECTICUT, 1982

COUNTY	TOTAL
CONNECTICUT, TOTAL	12,862
Fairfield	2,827
Hartford	3,271
Litchfield	534
Middlesex	597
New Haven	3,288
New London	1,277
Tolland	620
Windham	448
Sex of Complainant:	
Male	4,128
Female	8,589
Not Stated	145

TABLE 15: CHILDREN UNDER 18
AFFECTED BY MARRIAGE DISSOLUTION
CONNECTICUT, 1982

Number of Children Under 18 Years Per Dissolution	Number of Dissolutions
Total	12,862
No children	5,280
One child	3,147
Two children	2,809
Three children	872
Four children	197
Five children	43
Six or more children	19
Not stated	495

TABLE 16: DURATION OF MARRIAGES DISSOLVED
CONNECTICUT, 1982

Year Marriage Was Contracted	Number of Marriages Dissolved	Year Marriage Was Contracted	Number of Marriages Dissolved
TOTAL	12,862	1968	415
1982	59	1967	373
1981	489	1966	327
1980	946	1965	241
1979	1,044	1964-1960	1,199
1978	1,000	1959-1955	703
1977	778	1954-1950	407
1976	706	1949-1945	194
1975	681	1944-1940	70
1974	636	1939-1935	24
1973	578	1934-1930	7
1972	505	Prior to 1930	2
1971	475	Unknown	53
1970	504		
1969	446		

GLOSSARY

Birth Weight	Weight of fetus or infant at a time of delivery.
Fetal Death	Death prior to the complete expulsion of extraction from the mother of a product of conception, which has passed through at least the 20th week of gestation. The fetus shows no signs of life such as heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles.
Gestational Period	Number of weeks elapsed between the first day of the last menstrual period and date of delivery.
Infant Death	Death occurring to an individual of less than 1 year of age.
Live Birth	The complete expulsion or extraction from the mother of a product of conception, irrespective of the duration of pregnancy; after such separation, breathes or show other signs of life.
Low Birth Weight	Birth wherein the birth weight is equivalent to 2,500 grams or less (approximately 5 lbs. 8 oz.).
Maternal Death	Those deaths wherein the physician has designated a maternal condition as the underlying cause of death.
Neonatal Death	Death occurring to an infant less than 28 days of age.
Occurrence	Place where the event actually occurred regardless of residence.
Residence	Usual place of residence for person to whom event occurred. For births and fetal deaths residence is defined as the mother's usual place of residence.

RATES

Age-Adjusted Death Rate:	Sum of (Age-Specific Death Rates X Proportion of Standard Population in Specific Age Group)
Age-Specific Birth Rate:	$\frac{\text{No. of Resident Live Births for a Specific Age of Mother}}{\text{Total Female Population of Specific Age}} \times 1{,}000$
Age-Specific Death Rate:	$\frac{\text{No. of Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}} \times 100{,}000$
Crude Birth Rate:	$\frac{\text{No. of Resident Live Births}}{\text{Total Resident Population}} \times 1{,}000$
Crude Death Rate:	$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Population}} \times 1{,}000$
Divorce Rate:	$\frac{\text{No. of Persons (Divorces \& Annulments)}}{\text{Total Resident Population}} \times 1{,}000$
Fetal Death Ratio:	$\frac{\text{Fetal Deaths at Place of Occurrence}}{\text{Total of Births at Place of Occurrence}} \times 1{,}000$
Infant Death Rate:	$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Live Births}} \times 1{,}000$
Marriage Rate:	$\frac{\text{No. of Persons Married}}{\text{Total Resident Population}} \times 1{,}000$